


Adenocarcinoma of the Ovary (excluding Borderline Tumors): Relative Survival Rates (%) by AJCC Stage (SEER modified 3rd edition), Ages 20+, 12 SEER Areas, 1988-2001


Table 16.6: Adenocarcinoma of the Ovary (excluding Borderline Tumors): Number and Distribution of Cases and 1-, 2-, 3-, 5-, 8-, & 10-Year Relative Survival Rates (%) for Cases (Ages 20+) by AJCC Stage (SEER modified 3rd edition), Ages 20+, 12 SEER Areas, 1988-2001

AJCC Stage	Cases	Percent	Relative Survival Rate (%)					
			1-Year	2-Year	3-Year	5-Year	8-Year	10-Year
Total	23,634	100.0	77.5	64.0	54.4	43.9	37.8	36.4
I	5,215	22.1	96.8	94.3	92.1	89.3	85.6	84.1
IA	3,108	13.2	98.9	97.3	96.1	94.0	91.1	88.9
IB	337	1.4	98.0	94.5	93.2	91.1	82.4	78.7
IC	1,548	6.5	92.4	88.1	84.5	79.8	76.0	76.0
I NOS*	222	0.9	94.8	92.8	88.2	84.7	77.0	73.7
II	1,833	7.8	87.1	78.9	73.2	65.5	58.4	55.7
IIA	485	2.1	96.4	89.5	84.7	76.4	69.0	66.8
IIB	587	2.5	88.3	80.6	73.6	66.9	63.2	57.4
IIC	699	3.0	80.4	70.7	65.1	57.0	47.0	45.9
II NOS*	62	0.3	78.0	71.0	68.8	58.9	50.2	38.8
III	8,346	35.3	78.8	62.0	48.9	33.5	24.4	22.2
IIIA	469	2.0	86.4	71.6	61.8	45.3	34.1	31.4
IIIB	660	2.8	81.5	66.8	54.0	38.6	27.2	26.1
IIIC	4,596	19.4	82.2	65.5	51.2	35.2	25.3	22.6
III NOS*	2,621	11.1	70.5	52.8	40.8	26.9	20.0	17.9
IV	7,499	31.7	61.7	42.5	30.1	17.9	11.6	10.4
Unknown/Unstaged	741	3.1	61.8	49.3	41.5	29.5	24.2	20.2


* NOS = Not Otherwise Specified




Supervivencia global estadios IIIA-IV




Supervivencia global estadios IA-IIIC.



Supervivencia global - HIPEC



Supervivencia global – no HIPEC



Supervivencia global HIPEC vs no HIPEC

	χ^2	p
Log rank (Mantle-Cox)	4.196	0.041

